

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	10/667,766	:
Source:	IFWO	
Date Processed by STIC:	7-2-04	

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1 EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual cPAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):
 U.S. Patent and Trademark Office, 220 20th Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202

Revised 05/17/04

	1-11/24 0/2/2
ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 10/667, 969
ATTN: NEW RULES CASES:	PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
3 Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
5Variable Length	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
7Skipped Sequences (OLD RULES)	Sequence(s)missing. If intentional, please insert the following lines for each skipped sequence (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID-NO where "X" is shown) This sequence is intentionally skipped
out general field of the complete and the complete of the comp	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence <210> sequence id number <400> sequence id number 000
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing. Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
10Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species): <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence
11 \(\sum_{\text{Usc of <220>}}\)	Sequence(s)
Patentin 2.0 "bug"	Please do not use "Copy to Disk" function of Patentln version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
13 Misuse of n/Xaa	"n" can only represent a single nucleotide; "Xaa" can only represent a single amino acid



TIME: 11:51:28

IFWO

```
Input Set : A:\Untitled.ST25.txt
                     Output Set: N:\CRF4\07022004\J667966.raw
      3 <110> APPLICANT: Xie, Dong
             Jiang, He
      6 <120> TITLE OF INVENTION: Peptide Derivative Fusion Inhibitors of HIV Infection
      8 <130> FILE REFERENCE: 63024.000002
C--> 10 <140> CURRENT APPLICATION NUMBER: US/10/667,966
C--> 10 <141> CURRENT FILING DATE: 2003-09-23
     10 <150> PRIOR APPLICATION NUMBER: 60/412,797
     11 <151> PRIOR FILING DATE: 2002-09-24
    13 <160> NUMBER OF SEQ ID NOS: 15
    15 <170> SOFTWARE: PatentIn version 3.1
                                                          Does Not Comply
    17 <210> SEQ ID NO: 1
                                                          Corrected Diskette Needed
    18 <211> LENGTH: 44
    19 <212> TYPE: PRT
    20 <213> ORGANISM: Artificial Sequence
     22 <220> FEATURE:
                                                                     on error
    23 <223> OTHER INFORMATION: Peptide sequence
                                                        sumory
    25 <400> SEQUENCE: 1
    27 Ser Leu Glu Gln Ile Trp Asn Asn Met Thr Trp Glu Glu Trp Asp Arg
                       5
    31 Glu Ile Asn Asn Tyr Thr Glu Leu Ile His Glu Leu Ile Glu Glu Ser
                                        25
    35 Gln Asn Gln Gln Glu Lys Asn Glu Gln Glu Leu Leu
    39 <210> SEQ ID NO: 2
    40 <211> LENGTH: 34
    41 <212> TYPE: PRT
    42 <213> ORGANISM: Artificial Sequence
    44 <220> FEATURE:
    45 <223> OTHER INFORMATION: (Peptide sequence
    47 <400> SEQUENCE: 2
    49 Trp Glu Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Lys Leu Ile His
                       5
                                            10
    53 Glu Leu Ile Glu Glu Ser Gln Asn Gln Gln Glu Lys Asn Glu Gln Glu
    54
                                        25
                                                            30
    57 Leu Leu
    61 <210> SEQ ID NO: 3
    62 <211> LENGTH: 39
    63 <212> TYPE: PRT
    64 <213> ORGANISM: Artificial Sequence
    66 <220> FEATURE:
    67 <223> OTHER INFORMATION: (Peptide sequence)
```

71 Trp Gln Glu Trp Glu Gln Lys Ile Thr Ala Leu Leu Glu Gln Ala Gln

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/667,966

69 <400> SEQUENCE: 3

DATE: 07/02/2004 TIME: 11:51:28

```
Input Set : A:\Untitled.ST25.txt
                Output Set: N:\CRF4\07022004\J667966.raw
                                       10
75 Ile Gln Glu Lys Asn Glu Tyr Glu Leu Gln Lys Leu Asp Lys Trp
               20
79 Ala Ser Leu Trp Glu Trp Phe
80
      35
83 <210> SEQ ID NO: 4
84 <211> LENGTH: 36
85 <212> TYPE: PRT
86 <213> ORGANISM: Artificial Sequence
88 <220> FEATURE:
89 <223> OTHER INFORMATION: (Peptide sequence)
91 <400> SEQUENCE: 4
93 Tyr Thr Ser Leu Ile His Ser Leu Ile Glu Glu Ser Gln Asn Gln Gln
                                       10
97 Glu Lys Asn Glu Gln Glu Leu Leu Glu Leu Asp Lys Trp Ala Ser Leu
               20
101 Trp Asn Trp Phe
           35
105 <210> SEQ ID NO: 5
106 <211> LENGTH: 34
107 <212> TYPE: PRT
108 <213> ORGANISM: Artificial Sequence
110 <220> FEATURE:
111 <223> OTHER INFORMATION: Peptide sequence Some error
113 <400> SEQUENCE: 5
115 Trp Met Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Ser Leu Ile His
119 Ser Leu Ile Glu Glu Ser Gln Asn Gln Glu Lys Asn Glu Gln Glu
                20
120
123 Leu Leu
127 <210> SEQ ID NO: 6
128 <211> LENGTH: 34
129 <212> TYPE: PRT
130 <213> ORGANISM: Artificial Sequence
132 <220> FEATURE:
133 <223> OTHER INFORMATION: Peptide sequence
135 <400> SEQUENCE: 6
137 Trp Gln Glu Trp Glu Arg Lys Val Asp Phe Leu Glu Glu Asn Ile Thr
141 Ala Leu Leu Glu Glu Ala Gln Ile Gln Gln Glu Lys Asn Met Tyr Glu
142
                20
145 Leu Gln
149 <210> SEO ID NO: 7
150 <211> LENGTH: 34
151 <212> TYPE: PRT
152 <213> ORGANISM: Artificial Sequence
154 <220> FEATURE:
155 <223> OTHER INFORMATION: Peptide sequence
157 <400> SEQUENCE: 7
```

RAW SEQUENCE LISTING

TIME: 11:51:28

```
Input Set : A:\Untitled.ST25.txt
                     Output Set: N:\CRF4\07022004\J667966.raw
    159 Trp Glu Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Lys Leu Ile His
    160 Í
    163 Glu Leu Ile Glu Glu Ser Gln Asn Gln Glu Glu Asn Glu Gln Glu
                     20
                                         25
    164
    167 Leu Leu
    171 <210> SEQ ID NO: 8
     172 <211> LENGTH: 44
     173 <212> TYPE: PRT
     174 <213> ORGANISM: Artificial Sequence
     176 <220> FEATURE:
     177 <223> OTHER INFORMATION: Peptide sequence
     179 <220> FEATURE:
     180 <221> NAME/KEY: MISC FEATURE
     181 <222> LOCATION: (23)..(23)
     182 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
     183
               ty.
     186 <400> SEQUENCE: 8
     188 Ser Leu Glu Gln Ile Trp Asn Asn Met Thr Trp Glu Glu Trp Asp Arg
                                             10
W--> 192 Glu Ile Asn Asn Tyr Thr Kaa Leu Ile His Glu Leu Ile Glu Glu Ser
                     20
     196 Gln Asn Gln Gln Glu Lys Asn Glu Gln Glu Leu Leu
     197
                 35
     200 <210> SEQ ID NO: 9
     201 <211> LENGTH: 45
     202 <212> TYPE: PRT
     203 <213> ORGANISM: Artificial Sequence
     205 <220> FEATURE:
     206 <223> OTHER INFORMATION: Peptide sequence) Some
     208 <220> FEATURE:
     209 <221> NAME/KEY: MISC FEATURE
     210 <222> LOCATION: (45)..(45)
     211 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
     212
               ty.
     215 <400> SEQUENCE: 9
     217 Ser Leu Glu Gln Ile Trp Asn Asn Met Thr Trp Glu Glu Trp Asp Arg
     218 1
     221 Glu Ile Asn Asn Tyr Thr Glu Leu Ile His Glu Leu Ile Glu Glu Ser
                     20
                                         25
W--> 225 Gln Asn Gln Gln Glu Lys Asn Glu Gln Glu Leu Leu Xaa
                                     40
     226
                 35
     229 <210> SEQ ID NO: 10
     230 <211> LENGTH: 34
     231 <212> TYPE: PRT
     232 <213> ORGANISM: Artificial Sequence
     234 <220> FEATURE:
     235 <223> OTHER INFORMATION: (Peptide sequence)
     237 <220> FEATURE:
     238 <221> NAME/KEY: MISC_FEATURE
```

RAW SEQUENCE LISTING

TIME: 11:51:28

```
Input Set : A:\Untitled.ST25.txt
                     Output Set: N:\CRF4\07022004\J667966.raw
     239 <222> LOCATION: (13)..(13)
     240 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
    241
              'ty.
     244 <400> SEQUENCE: 10
  -> 246 Trp Glu Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Xaa Leu Ile His
     250 Glu Leu Ile Glu Glu Ser Gln Asn Gln Gln Glu Lys Asn Glu Trp Glu
                     20
                                         25
     251
     254 Leu Leu
     258 <210> SEQ ID NO: 11
     259 <211> LENGTH: 35
     260 <212> TYPE: PRT
     261 <213> ORGANISM: Artificial Sequence
     263 <220> FEATURE:
     264 <223> OTHER INFORMATION: Peptide sequence
     266 <220> FEATURE:
     267 <221> NAME/KEY: MISC FEATURE
     268 <222> LOCATION: (35)..(35)
     269 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
     270
               ty.
     273 <400> SEQUENCE: 11
     275 Trp Glu Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Glu Leu Ile His
     279 Glu Leu Ile Glu Glu Ser Gln Asn Gln Glu Lys Asn Glu Gln Glu
                     20
     280
W--> 283 Leu Leu Xaa
     284
                 35
     287 <210> SEQ ID NO: 12
     288 <211> LENGTH: 39
     289 <212> TYPE: PRT
     290 <213> ORGANISM: Artificial Sequence
     292 <220> FEATURE:
     293 <223> OTHER INFORMATION: Peptide sequence error
     295 <220> FEATURE:
     296 <221> NAME/KEY: MISC FEATURE
     297 <222> LOCATION: (13)..(13)
     298 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
     299
               ty.
     302 <400> SEQUENCE: 12
W--> 304 Trp Gln Glu Trp Glu Gln Lys Ile Thr Ala Leu Leu Xaa Gln Ala Gln
     308 Ile Gln Gln Glu Lys Asn Glu Tyr Glu Leu Gln Lys Leu Asp Lys Trp
                                                              30
     309
     312 Ala Ser Leu Trp Glu Trp Phe
     313
                 35
     316 <210> SEQ ID NO: 13
     317 <211> LENGTH: 40
     318 <212> TYPE: PRT
     319 <213> ORGANISM: Artificial Sequence
```

RAW SEQUENCE LISTING

TIME: 11:51:28

```
Input Set : A:\Untitled.ST25.txt
                     Output Set: N:\CRF4\07022004\J667966.raw
     321 <220> FEATURE:
     322 <223> OTHER INFORMATION: Peptide sequence
     324 <220> FEATURE:
     325 <221> NAME/KEY: MISC FEATURE
     326 <222> LOCATION: (40)..(40)
     327 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
     328
               ty.
     331 <400> SEQUENCE: 13
     333 Trp Gln Glu Trp Glu Gln Lys Ile Thr Ala Leu Ile Glu Gln Ala Gln
     337 Ile Gln Gln Glu Lys Asn Glu Tyr Glu Leu Gln Lys Leu Asp Lys Trp
     338
                     2.0
                                         25
W--> 341 Ala Ser Leu Trp Glu Trp Phe Xaa
     342
                 35
     345 <210> SEQ ID NO: 14
     346 <211> LENGTH: 34
     347 <212> TYPE: PRT
     348 <213> ORGANISM: Artificial Sequence
     350 <220> FEATURE:
     351 <223> OTHER INFORMATION: Peptide sequence
                                                    same
     353 <220> FEATURE:
     354 <221> NAME/KEY: MISC FEATURE
     355 <222> LOCATION: (13)..(13)
     356 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie
     357
               ty.
     360 <400> SEQUENCE: 14
W--> 362 Trp Glu Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Xaa Leu Ile His
                                              10
     366 Glu Leu Ile Glu Glu Ser Gln Asn Gln Gln Glu Glu Asn Glu Gln Glu
     367
     370 Leu Leu
     374 <210> SEQ ID NO: 15
     375 <211> LENGTH: 35
     376 <212> TYPE: PRT
     377 <213> ORGANISM: Artificial Sequence
     379 <220> FEATURE:
     380 <223> OTHER INFORMATION: (Peptide sequence
     382 <220> FEATURE:
     383 <221> NAME/KEY: MISC FEATURE
     384 <222> LOCATION: (35)..(35)
     385 <223> OTHER INFORMATION: Xaa represents a Lysine residue derivatized with a maleimide
moie ·
            ty.
     386
     389 <400> SEQUENCE: 15
     391 Trp Glu Glu Trp Asp Arg Glu Ile Asn Asn Tyr Thr Lys Leu Ile His
     395 Glu Leu Ile Glu Glu Ser Gln Asn Gln Glu Glu Asn Glu Gln Glu
     396
                     20
                                         25
W--> 399 Leu Leu Xaa
     400
                 35
```

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/667,966

DATE: 07/02/2004 TIME: 11:51:29

Input Set : A:\Untitled.ST25.txt

Output Set: N:\CRF4\07022004\J667966.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:8; Xaa Pos. 23
Seq#:9; Xaa Pos. 45
Seq#:10; Xaa Pos. 13
Seq#:11; Xaa Pos. 35
Seq#:12; Xaa Pos. 13
Seq#:13; Xaa Pos. 40
Seq#:14; Xaa Pos. 13
Seq#:15; Xaa Pos. 35

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/667,966

DATE: 07/02/2004 TIME: 11:51:29

Input Set : A:\Untitled.ST25.txt

Output Set: N:\CRF4\07022004\J667966.raw

L:10 M:270 C: Current Application Number differs, Replaced Current Application No L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:192 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:16
L:225 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:32
L:246 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:283 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:32
L:304 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:341 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:32
L:362 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:399 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:32